Merton Council Joint Regulatory Service Committee 6 February 2018 Supplementary Agenda

4a Amended Table 3 1 - 2

Agenda Item 4a

Table 3. Estimated sources of tri-borough income generation £000 (revised 05.02.2018)

| Description | Y1 | Y2 | Y3 | Y4 | Y5 | TOTAL |
|--|-------|-------|-------|-------|-------|--------|
| Financial investigations | 0.0 | -51.5 | -92.4 | -92.4 | -92.4 | -328.7 |
| Business advice and training | 0.0 | -43.1 | -43.1 | -43.1 | -43.1 | -172.5 |
| Primary/Home Authority | 0.0 | -46.8 | -93.7 | -93.7 | -93.7 | -327.9 |
| Licence processing | 0.0 | -20.0 | -40.0 | -60.0 | -80.0 | -200 |
| Proceeds of Crime Act | -50.0 | | | | | -50.0 |
| Planning application (support & advice) | -4.5 | -9.0 | -13.5 | -18.0 | -22.5 | -67.5 |
| Planning application consultation (noise, odours and air quality) | -84.0 | -84.0 | -84.0 | -84.0 | -84.0 | -420.0 |
| Planning application (acoustic report assessment) | -25.2 | -25.2 | -25.2 | -25.2 | -25.2 | -126.0 |
| Planning application (air quality report assessment) | -6.7 | -6.7 | -6.7 | -6.7 | -6.7 | -33.3 |
| Planning application (contaminated land assessment – phases 1 to 3) | -26.6 | -26.6 | -26.6 | -26.6 | -26.6 | -133.2 |
| Planning (construction management) | -4.8 | -4.8 | -4.8 | -4.8 | -4.8 | -24.0 |
| Noise at work assessment | -8.0 | -8.0 | -8.0 | -8.0 | -8.0 | -40.0 |
| Acoustic report (site specific) | -8.0 | -8.0 | -8.0 | -8.0 | -8.0 | -40.0 |
| Acoustic monitoring (hourly rate) | -6.0 | -6.0 | -6.0 | -6.0 | -6.0 | -30.0 |
| Review acoustic reports and comment | -6.0 | -6.0 | -6.0 | -6.0 | -6.0 | -30.0 |
| Draft construction logistics plan | -1.2 | -1.2 | -1.2 | -1.2 | -1.2 | -6.0 |

| Draft section 61 report | -1.8 | -1.8 | -1.8 | -1.8 | -1.8 | -9.0 |
|--|--------|--------|--------|--------|--------|--------|
| Noise monitoring and report | -2.4 | -2.4 | -2.4 | -2.4 | -2.4 | -12.0 |
| Case investigations (Housing Associations and other departments. | -24.0 | -24.0 | -24.0 | -24.0 | -24.0 | -120.0 |
| Total | -259.2 | -375.1 | -487.4 | -511.9 | -536.4 | -2170 |